

ZUMEX MÁQUINAS Y ELEMENTOS, S.A. Poligono ind. Moncada II · C/ La Closa · 16 46113 · Moncada · Valencia · España Tel.: +34 961 301 251 · Fax +34 961 301 255 www.zumex.com · zumex@zumex.com

Your nearest distributor







Index

MEX Company	4
TIMEX FOODSERVICE	8
ÄMEX MOBILE	16
ümex retail	18
ümex vending	24
ÜMEX FAQ'S	26
MeX Contact	29
TIMEX Products	31



Who we are...

Zumex is the Spanish world-leading company in the transformation of all types of fruit into juice. It is a pioneer in the design, manufacture and distribution of juicers and Multifruit juicers for the food service and retail markets.

Zumex is present in more than 70 countries through its distribution network and with branch offices in U.S.A. and Mexico, and is the undisputed leader in market share and international presence.

Our experience spans more than 20 years and means we can offer our clients a versatile range of solutions for juice-making. The wide variety of Zumex products ensures that the best option for each sale point is found. That is why we want to provide assistance. So that your service is the best and your clients can enjoy the freshest and most natural juice.

Furthermore, our wide network of worldwide official distributors allows us to offer the best technical assistance service.






On-Site Natural Benefits

At Zumex we analyse the needs of all the agents involved in the process of preparing a freshly-squeezed juice. Our vocation is to provide overall solutions to facilitate this:

- Consumers	We provide the assurance that the fruit juice is going to be prepared in front of you. No containers. No preservatives. Only fruit and our juicers.
Users	Our products are easy to handle and maintain . And we are going to continue innovating to improve them even further.
Operators	We provide all the assistance and support you need to transform the service of freshly-squeezed juice into a profitable business.

Furthermore, in order to make it easier to relate our range of products to the needs they cover we have decided to **update** their identification. It will now be **easier** to understand the main characteristics of each of them to **decide what Zumex** juicer best suits your needs.







Zumex Foodservice

Every day, consumers have breakfast, lunch or dinner outside their homes more and more often and look for the same things as when they eat at home: a healthy, natural and balanced diet.

This need includes access to fresh products such as **fruit** and vegetables, bearing in mind the recommendations from all nutritionists and authorities about the need to have at least **five pieces** a day.

And what better way to enjoy fruit than with a freshly-squeezed juice? Our products and solutions allow any type of business to provide the best service to its consumers.



Zumex Versatile

RECOMMENDATIONS FOR YOUR BUSINESS

Below is a **basic guide** of the **best practices** to maximise the consumption and profit of freshly-squeezed juice in your facilities.

However, if you would like to obtain further in-depth details, please do not hesitate to contact any member of our **broad network of distributors and sales personnel**. They shall provide professional assistance to obtain the best results, select the juicer that best fits your needs or contact a good fruit distributor.



The **main advice** that can be given for the fruit juice business is as follows:

- Place your orange or multifruit juicer in a highly visible point of the facilities.
- Advertise the service of freshly-squeezed juice with all available communication tools: signs, menus, table displays, etc.
- Keep the units clean and with the best possible image. Use the fruit to draw the attention of the consumers.
- Use the versatility of our products to ensure a greater variety of flavours. Our juicers can transform oranges, lemons, pomegranates, medium-sized grapefruits, carrots, pineapples, apples, pears, water melons, melons and kiwis into juice.
- The juice RRP must be reasonable for the consumer while at the same time profitable for your business. If it is too high it will cause a drop in demand. Our network of sales personnel can advise you about the optimum RRP.

At the end of this catalogue you will find a complete description of our range of products and our recommendations for each type of business.






COMMERCIAL CATERING

Description: the brand gains relevance when quality food products are provided in areas with a lot of traffic such as airports, petrol stations or malls.

Important factors: swiftness and standardised operation, scope of the range and timetables and adequate visibility of the offer of juice.




Zumex Minex

TRADITIONAL CATERING

Description: independently-owned bars, cafeterias and restaurants where consumers go to have breakfast, lunch or simply to have a snack.

Important factors: available space, ease of service and cleanliness and including juice in the main instances of consumption.





Zumex Speed Self-Service Podium

FAST FOOD RESTAURANTS

Description: the spot for consumers looking for a balance between quality, speed and variety, all within the best environment for the whole family and adapted to the lack of time available in modern days.

Important factors: complementing the range of products with healthier and more natural elements, in full view of the customers and compatible with the speed of service required, as well as with a competitive RRP.





Zumex Versatile Silver



HOTELS

Description: tourism, either for leisure or for business, is undoubtedly one of the most dynamic sectors thanks to ever improving means of transport and accommodation. Consumers want to feel at home.

Important factors: improving breakfasts by including freshly-squeezed fruit juice prepared in front of the consumer, by providing self-service facilities and appliances adapted to the restrictions of a buffet, as well as the possibility of providing juices in the cafeteria or in room service.



JUICE BARS AND HEALTHY FOOD


Description: a sector on the rise, spots which consumers select specifically for the freshness and quality of freshly-squeezed fruit.

Important factors: the variety and combination of flavours and textures is the key in these businesses. It is therefore necessary to have machines that ensure swiftness, versatility and ease of use and cleaning.





Zumex Multifruit





Zumex Mobile

Within the options for consumption outside home, the availability of foodstuffs in points where consumers congregate (large events; concerts, festivals, stadiums, circuits, etc) is progressively gaining a greater relevance.

In order to incorporate freshly-squeezed fruit juices to this offer, Zumex has created **Zumex Mobile**, an eye-catching and **practical** mobile point of sale that follows consumers wherever they may go.

In order to promote the consumption of freshly-squeezed fruit juice or to make mobile sales a profitable business we have the following **recommendations**:

- Install and operate Zumex Mobile in the points of greatest flow of people and wherever it is most visible.
- ... Make sure there are adequate water and electricity connections.
- Complement the offer of juice with other products with high turnover that generate a greater level of traffic towards the point of sale (water, snacks, sweets).
- Advertise the service of freshly-squeezed juice.
- Keep the units clean and with the best possible image. Use the fruit to draw the attention of the consumers.
- ... The juice RRP must be reasonable for the consumer while at the same time profitable for your business. If it is too high it will cause a drop in demand Our network of sales personnel can advise you about the optimum RRP.





Zumex Retail

Zumex provides solutions for retail businesses and thus also offers freshly-squeezed juice to consumers that want to enjoy it at home and do not have enough time or adequate appliances.

The placing of our juicers or multifruit juicers and of a series of complements designed specifically for these facilities mean that the operation and offer of freshly-squeezed juice no longer presents a problem.

Zumex Orange Corner was created as a modular point of sale to better respond to the needs of these businesses. Its size and accessories can be adapted to different facilities and it thus serves to create a further attraction around health and freshness. It is a new product that our network of distributors can provide further information on.



RECOMMENDATIONS FOR YOUR BUSINESS

Below is a **basic guide of the best practices** to maximise the consumption and profit of freshly-squeezed juice in your facilities.

However, if you would like to obtain further in-depth details, please do not hesitate to contact any member of our **broad network of distributors and sales personnel**. They shall provide professional assistance to obtain the best results, select the juicer that best fits your needs or indicate what complementary units are best suited for your point of sale.

The **main advice** that can be given for the fruit juice business is the following:

- Place your juicer or blender in a highly visible point of the facilities. In order to further attract attention, use the Zumex Orange Corner, whose modularity allows it to adapt to any available space.
- Advertise the service of freshly-squeezed juice with all available communication tools; signs, table displays, brochures, etc.
- If there is enough space in the point of sale, a fridge or a bottle display with ice should be included to keep the juice fresh at all times. Zumex also has complementary products to meet these needs.
- Keep the units clean and with the best possible image. Use the fruit to draw the attention of the consumers.
- Use the versatility of our products to ensure a greater variety of flavours. Our juicers and blenders can transform oranges, lemons, pomegranates, medium-sized grapefruits, carrots, pineapples, apples, pears, water melons, melons and kiwis into juice.
- The juice RRP must be reasonable for the consumer while at the same time profitable for your business. If it is too high it will cause a drop in demand. Our network of sales personnel can advise you about the optimum RRP.

At the end of this catalogue you will find a complete description of our range of products and our recommendations for each type of installation.







Zumex Versatile Podium

TRADITIONAL AND CONVENIENCE STORES

Description: all those businesses that offer take-away foodstuffs, mostly with independent ownership and that are considered proximity stores or have long opening times (fruit shops, convenience stores, food stores)

Important factors: use of space, the availability of juice to either take away or drink in the shop and the possibility of incorporating elements that make the offer of freshly-squeezed fruit juice stand out.



SUPERMARKETS

Description: proximity stores of various sizes that offer a wide range of food and drugstore products, normally under a well-known brand.

Important factors: availability of more space, with an area devoted especially to fruit. The ease of handling, possibility of decoration and mobility of the Zumex solution is the key.





Zumex Speed Tank Podium







Description: large businesses, with a wide range of products and normally with complementary spaces and services.

Important factors: the large spaces turn the point of sale of freshly-squeezed fruit juice into an asset for the business. Therefore, the correct decoration and the placing of the appropriate complements gain a greater relevance.





Zumex Vending

In many places there is no access to the point of sale with direct service. However, consumers still look for the same things: access to consumption of food with the highest guarantee of being fresh and natural.

It is within this context that the **system of automatic sale or vending** gains its importance. Zumex also has a solution for freshly-squeezed juice: a **new unit, with cooling, that eases operation** and functionality, while at the same time improving the profitability of this business model.

RECOMMENDATIONS FOR YOUR BUSINESS

In order to start a profitable and successful business based on the vending of freshly-squeezed fruit juice it is essential to follow the recommendations set out below:

- Our unit is designed to operate in **closed spaces**. It should not be placed outdoors.
- Since it is a single-product offer, it is important to ensure that the flow of consumers to the store is high during the hours of greatest consumption of hiller, mainly breakfast and tea.
- Since the business involves perishable goods, constant and careful attention to the unit is a must so as to guarantee the best quality fruit juice. It must be borne in mind that the fitted windows allow direct vision of the raw materials and of the squeezing system.
- The most recommendable points of sale are those inside mails with a large flow of people, large factories and offices, large hospitals and clinics.
- The RRP must be reasonable for the consumer while at the same time profitable for your business. If it is too high it will cause a drop in demand.
 Our network of sales personnel can advise you about the optimum RRP.







JUICERS

How many oranges are necessary to obtain a natural fruit juice?

There is not an exact figure because the amount of juice depends on several factors (type of orange, size, time of year, etc), but in general a juice of between 200-225 ml can be obtained with three/four oranges.

What kind of fruits can be squeezed?

They can be used for any kind of citrus fruit (grapefruit, lemon, tangerine) or even other round fruits such as the pomegranate, as long as they meet the following two conditions: being as round as possible and having the recommended size.

What size fruit can the juicers take?

Your normal fruit supplier can provide you with oranges of sizes 6, 7 and 8 (diameters between 65 and 80 mm). These are the most common sizes for oranges 'for juice' and are available in the market all year round. There is also an accessory for fruits with a diameter smaller than 65 mm (kit 65) that can be used to squeeze smaller fruits such as tangerines or lemons.

Are Zumex products safe and good quality?

Zumex products offer maximum quality and safety, fulfilling the most demanding certifications worldwide (CE, NSF, ETL), our management systems are ISO 9001:2000 certified, too.



MULTIFRUIT JUICERS

What are the most common juices that can be prepared with Zumex Multifruit?

Any type of fruit or vegetable (1) can be blended to obtain natural juices that can be consumed by themselves, combined or as a complement for more complex recipes.

The most common juices are **carrot**, **apple and pear**, but **melons**, **water melons**, **pineapples and peaches** (1) are also popular. However, consumption of the various types of juices is strongly conditioned by the time of year and, above all, by the cultural habits of the country.

Does the fruit need to be sliced before it is juiced?

The width of the feeder of Zumex Multifruit makes work easier because a whole apple or several carrots, for example, can be inserted without slicing them. Only fruits with a diameter greater than 86 mm have to be sliced.

Does the fruit need to be peeled before it is juiced?

The whole fruit can be blended without peeling it if the rind is edible. Fruits with non-edible rinds, such as kiwis, pineapples or water melons, do have to be peeled. If the fruit has a stone, it will have to be removed.

(1) Citrus fruits should not be blended. Their juice is much better in Zumex juicers because Zumex squeezing process avoids essential oils to contact the juice. Fruits with a large amount of fibre or a low percentage of juice (such as avocados or bananas) should not be squeezed.







Zumex Vending

VENDING

Does Zumex Vending produce freshly-squeezed juice?

Yes, the squeezer inside Zumex Vending starts to operate when the client asks for a juice and only squeezes the amount needed for a single glass.

What maintenance does Zumex Vending require?

Zumex Vending has a programmable self-cleaning system. However, every day or two the unit should be cleaned, the raw material reloaded and the bags for the rinds changed.

What prior installation does Zumex Vending require?

The ideal location for Zumex Vending should have an electrical connection, a water inlet and a drain. However, thanks to the independent kit accessory, the unit does not require a water connection or a drain because it shall be fitted with a water pump and a 10 litre water tank for cleaning.

www.zumex.com zumex@zumex.com

To buy or ask for information about our products, please contact with: **ventas@zumex.com**

If you have any comment or suggestion about our machines, please contact with: marketing@zumex.com

To solve any technical problem or to buy spare parts for our machines, please contact with: sat@zumex.com



Zumex Minex

- . Small and compact.
- Equipped with integrated pitcher, orange counter and anti-drip system.
- Includes an orange calibrator to check the right size of oranges to use.
- Available finishes: orange, green and silver.

Demand for orange juice	Low	Medium	High
Perfect for	Tradition	al catering.	







Zumex Minex Silver



Zumex Minex Green



FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTIHUMIDITY	SECURITY	JAR CAPACITY
13 oranges/min	6/7 fruits	Up to 80 mm (recommended between 65 and 76 mm)	28" x 14" x 14" 72 x 36,5 x 36 cm	47 lb 21,5 kg.	20 W to 240W	Multitension 100-240V, 50-60Hz	IP-X2	Safety detectors and electronic motor protection	0,25 az. 0,75 l.

Zumex Essential Zumex Essential Autostart

- Ease of handling.
- Autostart version available with automatic startup when it detects a fruit moving through the feeder without the need to press any button (ideal for a self-service buffet and restaurant), equipped with orange counter.
- Available in orange and silver finishes.

Demand for orange juice	Low	Medium	High	
Perfect for	Traditiona Hotels but	l and commercial c	atering.	
Available accessories *	Squeezing Kit D-65; Tap and tray kit; Countertop kit; Elevation kit.			


^{*} see description on page 45



Zumex Essential Silver



Zumex Essential Autostart Silver





FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS ZUMEX ESSENTIAL	DIMENSIONS ZUMEX ESSENTIAL AUT.	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTIHUMDITY	SECURITY
14 oranges/min	6/8 fruits	Up to 81 mm	34" x 18" x 19" 88 x 47 x 50 cm	29" x 18" x 19" 74 x 47 x 50 cm	99 lb 45 kg	0,3 kw	230-240 V 50-60 Hz/ 115 V 60 Hz	IP-X4	Double magnetic safety detector. Electronic motor protection

ZÜMEX Products 32

Zumex Versatile D

- Automatic juicer with feeder basket with capacity for 10kg of oranges.
- Available in standard start/stop and Digital (D) versions with a counter of units processed and a programmer to squeeze the number of oranges that is decided at each moment.
- Available in orange and silver finishes.

Demand for orange juice	Low	Medium	High		
Perfect for	All kinds	of Foodservice busin	nesses.		
Available	Squeezin	g Kit D-65; Tap and	tray kit;		
	Countertop kit; Elevation kit.				


^{*} see description on page 45



Zumex Versatile Silver



Detail of Zumex Versatile D





FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTHUMIDITY	SECURITY
22 oranges/min	22 lb 10 kg	Up to 81 mm	30" x 18" x 21" 85 x 47 x 50 cm	119 lb 54 kg.	0,3 kw	230-240 V 50-60 Hz / 115 V 60 Hz	IP-X4	Double magnetic safet detector. Electronic motor protection

Zumex Versatile Podium Zumex Versatile D Podium

- Formed by Zumex Versatile and podium to discard the rinds.
- Stainless steel podium with wheels and a large-capacity waste bucket.
- Practical tap and stainless steel tray to place glasses, with variable height to fill bottles.
- Nery easy to operate.
- Available in orange and silver finishes.


Demand for orange juice	Low	Medium	High	
Perfect for		f Foodservice busine nesses (supermarke		
Available accessories *	Squeezing Kit D-65; Zumex Display.			



Zumex Versatile Podium Silver



Detail of Zumex Versatile D Podium





TECHNICAL CH	HARAGTERISTIC	S ZUMEX VER	SATILE PODIU	M / ZUMEX	VERSATILE D.	PODIUM		
FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTIHUMIDITY	SECURITY
22 oranges/min	22 lb 10 kg	Up to 81 mm	62" x 19" x 22" 160 x 49 x 58 cm	174 lb 80 kg.	0,3 kw	230-240 V 50-60 Hz / 115 V 60 Hz	IP-X4	Double magnetic safety detector. Electronic motor protection



Zumex Speed D

Robust design.

Nailable in standard start/stop and Digital (D) versions with a counter of units processed and a programmer to squeeze the number of oranges that is decided at each moment.

■ Very fast.

Demand for orange juice	Low	Medium	High		
Perfect for	All kinds of demands	of Foodservice busin of juice.	ess with high		
Available accessories *	Squeezin	ezing Kit D-65; Zumex Display.			

Detail Zumex Speed D






Zumex Speed Self-Service


- Fitted with an automatic startup/shutdown system by simply applying pressure on the tap.
- Very simple operation. It can be operated by the attendant of the business or directly by the consumer preparing its own juice.
- · Fast and robust.

Demand for orange juice	Low	Medium	High
Perfect for		elf-service restauran ercial catering and h	
Available accessories *	Squeezin	g Kit D-65; Counter	top Kit.

^{*} see description on page 45









Equipped with Self-Service Tap

TECHNICAL CH	HARACTERISTIC	S ZUMEX SEL	FSERVICE					
FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTHUMENTY	SECURITY
38 oranges/min	33 lb 15 kg	Up to 81 mm	41" x 27" x 25" 104 x 70 x 64 cm	137 lb 62 kg	0,3 kw	230-240 V 50-60 Hz / 115 V 60 Hz	IP-X4	Double magnetic safety detector. Electronic motor protection

^{*} see description on page 45

Zumex Speed Self-Service Podium

- Fitted with an automatic startup/shutdown system by simply applying pressure on the tap.
- Wery simple operation. It can be operated by the attendant of the business or directly by the consumer preparing his/her own fruit juice.
- Stainless steel fitting with wheels and a largecapacity waste bucket.
- Fast and robust.

Demand for orange juice	Low	Medium	High
Perfect for	or comme	elf-service restauran ercial catering and li kets / hypermarkets	arge
Available accessories *	Squeezin	g Kit D-65; Zumex (Displays.

^{*} see description on page 45





Equipped with Self-Service Tap


TECHNICAL CH	HARACITERISTIC	S ZUMEX SPE	ED SELF-SERV	ICE PODIUN				
FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTIHUMIDITY	SECURITY
38 oranges/min	33 lb 15 kg	Up to 81 mm	69" x 28" x 27" 176 x 72 x 68 cm	229 lb 104 kg	0,3 kw	230-240 V 50-60 Hz / 115 V 60 Hz	IP-X4	Double magnetic safety detector. Bectronic motor protection

Zumex Speed Tank Podium Zumex Speed D Tank Podium

- Transparent 5-litre tank for freshly-squeezed fruit juice.
- Stainless steel podium with wheels and a large-capacity waste bucket.
- Available in standard start/stop and Digital (D) versions with a counter of units processed and a programmer to squeeze the number of oranges that is decided at each moment.

Demand for orange juice	Low	Medium	High
Perfect for		arge hypermarkets kets with sales atte	
Available accessories *	Squeezing	g Kit D-65; Zumex I	Displays.

^{*} see description on page 45







Detail of Zumex Speed D Tank Podium



Equipped with 5 l. tank

+	zimex	
4		
Î	1	i imax
		IU

FRUTS PER MINUTE	FEEDER CAPACITY	FHUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTIHUMIDITY	SECURITY
38 oranges/min	33 lb 15 kg	Up to 81 mm	69" x 26" x 28" 176 x 68 x 72 cm	223 lb 101 kg	0,3 kw	230-240 V 50-60 Hz / 115 V 60 Hz	IP-X4	Double magnetic safety detector. Electronic motor protection


Zümex Products 38

Zumex Speed Cooler Podium

- The best solution to provide cooled freshly-squeezed juice to your clients.
- Cooler unit with temperature regulation and a 7 litre tank, with level detector and anti-drip tap.
- Stainless steel podium with wheels and a large-capacity waste bucket.

Demand for orange juice	Low	Medium	High
Perfect for	Ideal for la sales atte	arge hyper and supi ndants.	ermarkets with
Available accessories *	Squeezin	g Kit D-65; Zumex I	Displays.

^{*} see description on case 45







Equipped with 7 I. cooler

TECHNICAL CI	HARACTERISTIC	S ZUMEX SPE	ED COOLER P	ODIUM				
FRUTS PER MINUTE	FEEDER CAPACITY	FRUIT DIAMETER	DIMENSIONS	NET WEIGHT	CONSUMPTION	VOLTAGE	P. ANTIHUMIDITY	SECURITY
38 oranges/min	33 lb 15 kg	Up to 81 mm	72" x 26" x 29" 185 x 68 x 74cm	252 lb 115 kg	0,6 kw	230-240 V 50-60 Hz / 115 V 60 Hz	IP-X4	Double magnetic safety detector. Electronic motor protection

Zumex Orange Corner

- Orange Corner is a new concept created by Zumex and developed to maximise the sales possibilities of natural orange juice in commercial areas.
- Its modular system is extremely simple to assemble. Several types of Zumex juicers can be installed, and a bottle dispenser and orange storage module or a cooler module can be fitted to them.
- Recommended models: Zumex Versatile Podium,
 Zumex Speed Self-Service Podium and Zumex
 Speed Tank Podium.

Demand for orange juice	Low	Medium	High
Perfect for		f retail businesses, r kets and hypermark	






Zumex Multifruit

- For all types of fruits and vegetables.
- Easy operation and cleaning.
- The safest of the market (CE, NSF, UL).
- Wide range of standard equipment:
 Very wide fruit feeder intake.
 Anti-drip tap.
 Tray for glass or pitcher.
- Very silent.
- . Includes recipe book.

Demand for natural fruit juice	Low	Medium	High
Perfect for		shops and Healthy F	






SPEED	POWER	MEASUREMENTS	NET WEIGHT	VOLTAGE	ANTIHUMIDITY PROTEC	SECURITY	FEEDING TUBE DIAM.	BUCKET CAPACITY
3.000 r.p.m.	3/4 HP	19" x 12" x 20" 50 x 48 x 29 cm	39,68 lb 18 kg	220-240 V, 50-60 Hz 115 V, 60 Hz	IPX2	Doble security cut-out switch	3" 86 mm	3 gal 12 l

Zumex Mobile

- Completely automatic friendly point of sale.
- Attractive and functional design in the shape of an orange, manufactured in fibre glass.
- # Fully fitted:
 - Skin collection container for more than 30 kg.
 - Electrical connection, water inlet and drain.
 - Fitted cleaning area with extending tap.
 - Tank for clean water with a capacity of 25l.
 - Isothermal chamber.
 - Opening system for the top part by means of hydraulic bars with safety system.
- . Suitable for all our countertop models.



Perfect for	Promotions, open air sa	les.
-------------	-------------------------	------



MADE OF	COUNTER	WEIGHT	WEGHT	CLEAN WATER RECIPIENT CAPACITY	RESIDUAL WATER RECPIENT CAPACITY	TOTAL INSTALLATION MAX. POWER
Fibreglass reinforced polyester	16* 41 cm	824 lb 375 kg (Emply without machine)	826 lb 440 kg (Empty with machine)	7 gal 25 i	22 gal 85 i	3.3 kw

Zümex Products 42 Zümex Products 43

Zumex Vending

- Latest generation vending machine for freshly-squeezed orange juice.
- The orange juice is prepared when it is ordered. Only the amount needed to fill one glass is squeezed. The juice is delivered always fresh thanks to its cooling unit.
- Automatic self-cleaning system which can be programmed based on the number of juices served or on time.
- Delivers 100% natural, freshly-squeezed juice, with the best flavour. Guaranteed by the Zumex squeezing system.
- Available with only one window.

Parfect for	Captive and public vending indoors (companies, schools, hospitals, etc).
Available accessories *	Autonomous kit; Wheel kit; Drainage kit; Security kit; Communication kit.

^{*} see description on page 47





TECHNICAL CHARACTERISTICS ZUMEX VENDING							
DIMENSIONS	WEIGHT	ORANGE STORAGE CAPACITY	AUTONOMY	JUICE TEMPERATURE	TIME PER SERVE	POWER VOLTAGE	COOLER SYSTEM
72" x 37" x 31" 183 x 95 x 79 cm	573 lb 260 kg	110 lb 50 kg	110-120 juices of 175 cm ²	Adjustable (45-61°F)	30 seconds (approx.)	230 V/50 Hz + 115 V/60 Hz	Gas R 134 (Does not damage the Ozone layer)

Accesories for juicers

Squeezing kit D-65

865 kit Essent

MAR but Verset

DES MI Sano

Special for citrus fruits

- (lemons, tangerines) with a diameter smaller than 65mm.
- Option for the following models: all Zumex juicers.









Countertop kit

Countarton kit Fesantial / Versat

Counterton kit Spee

- It allows a bucket to be incorporated to discard the rinds under the bar.
- Option for the following models:

Zumex Essential, Zumex Versatile, Zumex Speed.





Tap and tray kit

Elevation kit

- Juice tray with dispenser tap.
- Approximate capacity: 1.1
- Option for the following models: Zumex Essential,
 Zumex Versatile.



- This kit raises the unit to ease cleaning of the bar. Four 7,5 cm legs are screwed to the base.
 Option for the following models: **Tunex**
- models: Zumex Essential, Zumex Versatile.



Zumex display

Zumex Display Small

umex Display Large

- Stainless steel appliances to place the bottles of freshly-squeezed juice in ice.
 Zumex Display Small: 99x52x60 cm
- (38.94"x20.47"x23.52")

 Zumex Display Large: 105x103x60 cm
 (41.34"x40.55"x23.52")





ZÜMEX Products 44

Zumex Packaging

- Packages designed to preserve the organoleptic properties of freshly-squeezed juice.
- Possibility of manufacturing exclusive bottles with customised labels.
- All the quality and hygiene guarantees:
 - High-density polyethylene (HDPE) for food use.
 - The packages are served encapsulated (except for the 1/4 I) to preserve the hygiene of the product.
 - The caps are fitted with an inviolability seal.
 - Packaging system formed by a cardboard box + sealed
 - internal bag.
- Available sizes 1/41; 1/2 1; 11; 21.



	MATERIAL	GRAMMAGE	UNITS / BOX
1/4 L	HDPE	15 g	320
1/2 L	HDPE	25 g	198
1 L	HDPE	40 g	100
21	HDPE	80 g	50
CAP	HDPE	5 g	

HDPE: High density polyethylene. Bottles grammage does not include the cap.

Vending Accessories

Automomous Kit

• Kit that includes a water pump to be able to operate without a connection to the network. The tank has a capacity of 10 litres.



Drainage Kit

Kit that includes all the elements needed to connect the unit to the drain network.



Wheel Kit

 Kit of additional wheels to provide mobility to the unit.



Security Kit

Kit to reinforce the safety of the unit.



Communication Kit

Modem-based system that sends information on the status of the unit by means of cell phone messages (*).



(*) Check availability in your country.

Technical Data Summary Table













	ZUMEX MINEX	ZUMEX ESSENTIAL	ZUMEX ESSENTIAL AUTOSTART	ZUMEX VERSATILE / D	ZUMEX VERSATILE PODIUM / D	ZUMEX SPEED
Production (Fruits per minut)	13	14	14	22	22	32
Feeder capacity	6 a 7 fruits	6 a 8 fruits	3 fruits	10 kg / 22 lb	10 kg / 22 lb	15 kg / 33 lb
Net weight	21,5 kg / 47 lb	45 kg / 99 lb	45 kg / 99 lb	54 kg / 119 lb	79 kg / 174 lb	60 kg / 132 lb
Dimensions (height x width x length)	72 x 36,5 x 36 cm 28" x 14" x 14"	88 x 47 x 50 cm 34" x 18" x 19"	74 x 47 x 50 cm 29" x 18" x 19"	85 x 47 x 55 cm 33" x 18" x 21"	160 x 49 x 58 cm 62" x 19" x 22"	99 x 64 x 62 cm 38" x 23" x 24"
Digital meter	×	14	х	OP	OP	OP
Fruits to squeeze program			*	OP	OP	OP
Finishes	0/S/G	0/8	0/8	0/8	0/8	19









	ZUMEX SPEED SELF-SERVICE	ZUMEX SPEED SELF-SERVICE PODIUM	ZUMEX SPEED TANK / ZUMEX SPEED D TANK	ZUMEX SPEED COOLER PODIUM
Production (Fruits per minut)	38	38	38	38
Feeder capacity	15 kg / 33 lb	15 kg / 33 lb	15 kg / 33 lb	15 kg / 33 lb
Net weight	62 kg / 137 lb	104 kg / 229 lb	101 kg / 223 lb	115 kg / 252 lb
Dimensions (height x width x length)	104 x 70 x 64 cm 41" x 27" x 25"	176 x 72 x 68 cm 69" x 28" x 27"	176 x 72 x 68 cm 69" x 28" x 27"	185 x 68 x 74 cm 72" x 26" x 29"
Digital meter	18	*	OP	
Fruits to squeeze program			0P	-
Finishes	-	1.51	+	

OP: optional Finishes: G (green) / O (orange) / S (silver)



Certifications and homologations*











^{*} Check models and countries